MATERIAL SAFETY DATA SHEET

1.IDENTIFICATION OF SUBSTANCE, PREPARATION AND COMPANY

Product name BULLDOG

Use Agricultural Herbicide
Formulation Microencapsulate (CS)

Supplier: Sipcam UK Limited, 4C Archway House, Melbourn Street, Royston SG8 7BX.

Emergency No 01763 212100.

2. HAZARDS IDENTIFICATION

Classification of mixture according to Regulation (EC) Number 1272/2008

WARNING





MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING DIFFICULTIES IF INHALED.

VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS

Additional information For the wording of risk and safety phrases refer to section 15.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients

<u> </u>			
	CAS/EINECS	R Phrases	%
Pendamethalin	40487-42-1 / 254-938-2	♦ Skin sens. 1,H317; ♦ Aquatic 1, H410	28.08%
Diflufenican	83164-33-4 / 616-032-0	Aquatic chronic 3, H412	1.4%
Solvent naptha	64742-94-5 / 265-198-5	♦ Asp Tox 1, H304	4.5%
Calcium ammonium nitrate	15245-12-2 / 239-289-5	Eye damage 1 H318, Acute tox 4 H302	9.0%

Additional information For the wording of the listed risk phrases refer to section 16.

4. FIRST AID MEASURES

General information:

Show this safety data sheet to the doctor. Immediately remove soiled clothing

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness bring patient into stable side position for transport.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing:

In case of persistent symptoms consult doctor.

Information for doctor:

Treat symptomatically.

Indication of any immediate medical attention and special treatment needed:

Treat symptomatically. No further relevant information available.

5. FIRE FIGHTING MEASURES

Suitable extinguishing agents

CO₂, extinguishing powder or water jet.

Fight larger fires with water jet or alcohol-resistant foam.

Special hazards arising from the substance or mixture

Carbon monoxide, nitrogen oxides, can be released. Avoid breathing smoke & fumes.

Protective equipment:

Do not inhale explosion or combustion gases. Put on breathing apparatus & protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

See section 8.

Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

Keep dirty washing water for appropriate disposal.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Collect mechanically...

Reference to other sections:

See Section 7 for safe handling, 8 for personal protection equipment, 13 for disposal information

7. HANDLING AND STORAGE

Precautions for safe handling:

Keep away from heat and direct sunlight. Prevent formation of aerosols.

Ensure good ventilation/exhaustion at the workplace.

Open and handle container with care.

Information about protection against explosions and fires:

Keep ignition sources away. Do not smoke.

Flammable mixtures may be formed in empty containers.

Conditions for safe storage, including any incompatibilities:

Storage requirements to be met by storerooms and containers:

Store in a cool location. Store only in original container.

Information about storage in one common storage facility:

Not required.

Further information about storage conditions:

Keep container tightly sealed. Protect from frost.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Components with limit values that require monitoring at the workplace:				
Solvent naphtha (5%)	OEL	Short term value: 100 mg/m ³		

Personal protective equipment

The usual precautionary measures should be adhered to general rules for handling chemicals.

Avoid contact with the eyes and skin.

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Do not eat or drink while working.

Avoid contact with eyes and skin.

Breathing equipment:

Protection of hands:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

Eve protection:

Protective gloves.	Tightly sealed safety glasses	Protective work clothing.			
9. PHYSICAL AND CHEMICAL PROPERTIES					
Appearance:	Melting point or range: Not determined	Viscosity: 1525 cps			
Form: Liquid suspension	Boiling point or range: Not determined	Surface tension: 33.2mN/m @25°C			
Colour: Yellow	Flash point:				

Body protection:

Odour: Characteristic	Self-Inflammability: Not self igniting	Solubility / Miscibility (water): Dispersable
pH-value at 20°C: 5.0 @ 20°C	Danger of explosion: Product is not explosive.	Density : 1.125 g/cm3 @ 20°C

10. REACTIVITY AND STABILITY

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions: No dangerous reactions known.

Conditions to avoid: No further relevant information available. **Incompatible materials:** No further relevant information available.

Hazardous decomposition products: None in standard storage consitions

11. TOXICOLOGICAL INFORMATION

LD/LC50 values that are relevant for classification:

Oral LD50 >2,000 mg/kg (rat) Dermal LD50 >2,000 mg/kg (rat)

Skin Irritation: No irritant effect Eye Irritation: No irritant effect. Sensitisation: No Sensitizing effect.

12.ECOLOGICAL INFORMATION

LD/LC50 values that are relevant for classification:

Aquatic toxicity

EC 50: 38.8 (0-72h) mg/l (algae)

LC 50: >100 (48h) mg/l (daphnia magna)

LC 50: >92.5 (96h) mg/l (rainbow trout)

Persistence and degradability:

No further relevant information available.

Assessment biodegradation & elimination (H2O):

Not readily biodegradable (by OECD criteria)

PBT: Not applicable **vPvB**: Not applicable

13. DISPOSAL

Waste or used preparation: Use specialist waste contractor in accordance with local regulations.

Disposal of packaging: Use specialist waste contractor in accordance with local regulations.

14. TRANSPORT

UN-Number (ADR, IMDG, IATA) 3082

Proper shipping name(ADR/RID, IMDG,ICAO/ IATA)

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diflufenican (ISO)) 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Pendimethalin (ISO))

Hazard class (ADR,IMDG, IATA): 9, Miscellaneous

Packing group (ADR, IMDG, IATA): III
Marine pollutant: No
Hazard label: none

15. REGULATORY INFORMATION

Hazard-determining components of labelling: PENDAMETHALIN, DIFLUFENICAN, SOLVENT

NAPHTHA.

Precautionary (P) statements:

P261 Avoid breathing spray

P273 Avoid release to the environment
P280 Wear gloves protective clothing and eve/

P280 Wear gloves, protective clothing and eye/face protection
P285 In case of inadequate ventilation wear respiratory protection.

P304+P341 IF INHALED: If breathing is difficult remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P342+P311 If experiencing respiratory symptoms: Get medical advice/attention

P391 Collect spillage

P501 Dispose of contents/container to a licensed waste disposal contractor or collection site

except for triple rinsed empty containers which can be disposed of as non-hazardous waste

EU208 Contains isocyanates. May produce an allergic reaction.

SP1	Do not contaminate water with the product or its container (Do not clean application equipment near surface water / Avoid contamination via drains from farmyards and roads)			
16. OTHER INFORMATION				
R Phra	ses referenced in section 3:			
H302	Harmful if swallowed			
H304	May be fatal if swallowed and enters airways.			
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage			
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.			
H410	Very toxic to aquatic life with long lasting effects			
H412	Harmful to aquatic life with long lasting effects			

Prepared by Sipcam UK Ltd to the best of our current knowledge and information:
No responsibility is accepted that the information will be sufficient or correct in all cases.
May 2016