

LIETO CS TANK MIXES

ALL LISTED COMPATIBILITIES ARE PHYSICAL ONLY (tested in laboratory conditions) THESE COMPATIBILITIES ARE NOT SUPPORTED FOR CROP SAFETY OR EFFICACY

Product 1	Product 2	Product 3	Physically compatible with continuous agitation	Comments:
Crusade		YES	Crusade added to tank first	Crusade
Shinkon		YES	Lieto added to tank first	Shinkon
Versilus		YES	Lieto added to tank first	Versilus
Cymax		YES	Lieto added to tank first	Cymax
CC Mandrake Plus WG		YES	Lieto added to tank first	CC Mandrake Plus WG
Enervin SC		YES	Lieto added to tank first	Enervin SC
Crusade	Shinkon	YES	Crusade added to tank first	Crusade
Crusade	Versilus	YES	Crusade added to tank first	Crusade
Crusade	Cymax	YES	Crusade added to tank first	Crusade
Crusade	CC Mandrake Plus WG	NO	Incompatible	Crusade
Crusade	Enervin SC	YES	Crusade added to tank first	Crusade
Crusade		YES	Crusade added to tank first	Crusade
Shinkon		YES	Lieto added to tank first	Shinkon
Versilus		YES	Lieto added to tank first	Versilus
Cymax		YES	Lieto added to tank first	Cymax
CC Mandrake Plus WG		YES	Lieto added to tank first	CC Mandrake Plus WG
Enervin SC		YES	Lieto added to tank first	Enervin SC
Crusade	Shinkon	YES	Crusade added to tank first	Crusade
Crusade	Versilus	YES	Crusade added to tank first	Crusade
Crusade	Cymax	YES	Crusade added to tank first	Crusade
Crusade	CC Mandrake Plus WG	NO	Incompatible	Crusade
Crusade	Enervin SC	YES	Crusade added to tank first	Crusade
Crusade		YES	Crusade added to tank first	Crusade

PLEASE NOTE:

- PHYSICALLY COMPATIBLE MIXES WITH LIETO WERE TESTED UNDER LABORATORY CONDITIONS, VARIABILITY IN WATER SUPPLIES & TEMPERATURE MAY ALTER COMPATIBILITY
- COMPLY FULLY WITH RECOMMENDATIONS OF ALL PRODUCTS WITHIN THE TANK MIX
- ALWAYS CHECK ALL INDIVIDUAL PRODUCT LABELS FOR ANY POSSIBLE RESTRICTIONS BEFORE USING & ENSURE THAT APPLICATIONS ARE MADE WITHIN THE RECOMMENDATIONS FOR EACH PRODUCT
- GROWERS ARE ADVISED TO CHECK COMPATIBILITY USING SMALL INITIAL QUANTITIES PRIOR TO FILLING OF THE SPRAY TANK WITH LARGER QUANTITIES
- ALL MIXES SHOULD BE SPRAYED IMMEDIATELY & AGITATED THROUGHOUT UNTIL THE SPRAY TANK IS EMPTY
- CHECK THAT ALL PRODUCTS TO BE USED IN TANK MIX ARE APPROVED FOR USE ON THE CROPS TO BE SPRAYED