MATERIAL SAFETY DATA SHEET

1.IDENTIFICATION OF SUBSTANCE, PREPARATION AND COMPANY

Product name SIPCAM C50WG

Use Fungicide.

Formulation Water Dispersible Granule

Supplier: Sipcam UK Limited, 4C Archway House, Melbourn Street, Royston SG8 7BX.

Emergency No 01763 212100.

For ROI only: In the event of an emergency, call the National Poisons Centre, Beaumont Hospital

at 01 809 2566 or 01 837 9964

2. HAZARDS IDENTIFICATION

Classification of substance and mixture according to Regulation (EC) Number 1272/2008

WARNING







H302 HARMFUL IF SWALLOWED

H317 MAY CAUSE AN ALLERGIC SKIN REACTION

H361fd SUSPECTED OF DAMAGING FERTILITY AND THE UNBORN CHILD

MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED

EXPOSURE (BLOOD, THYMUS)

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS

Additional information For the wording of safety phrases refer to section 15.

UFI: 2QKE-9HYG-N10E-XVTK

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients according to Regulation EC 1272/2008

	CAS/EINECS	H Phrases	%
cymoxanil	57966-95-7/261-043-0	H302, H317, H361fd, H373, H410	50.0%

Additional information For the wording of the listed hazard phrases refer to section 15.

4. FIRST AID MEASURES

General information:

Immediately remove any clothing soiled by the product.

Symtoms of poisoning may occur even after several hours, therefore medical observation for at least 48 hours after the incident.

After inhalation:

H373

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness bring patient into stable side position for transport.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing:

Do not induce vomiting, call for medical help

Information for doctor:

Treat symptomatically and supportively.

Indication of any immediate medical attention and special treatment needed:

No further relevant information available

5. FIRE FIGHTING MEASURES

Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. Can be released in case of

fire: Nitrogen oxides (NO_x) / Carbon monoxide (CO) / Sulphur dioxide (SO₂)

Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained breathing apparatus / Put on breathing apparatus.

Additional information

Cool endangered containers with water spray jet.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Avoid causing dust.

Wear protective clothing.

Environmental precautions:

Inform respective authorities in case product reaches water or sewage system.

Do not allow to enter drainage system, surface or ground water.

Methods and material for containment and cleaning up:

Collect mechanically

Dispose of contaminated material as waste according to item 13.

7. HANDLING AND STORAGE

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke. Protect from heat.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and containers:

Store only in the original container. Store in cool location.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with acids or alkalis (caustic solutions)

Further information about storage conditions:

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers

Protect from heat and direct sunlight.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Components with limit values that require monitoring at the workplace:

This product does not contain any relevant quantities of materials with critical values that have to be monitored in the workplace

Personal protective equipment

The usual precautionary measures should be adhered to general rules for handling chemicals.

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while working.

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Breathing equipment:

Donata atlanta at la accela

Breathing protection recommended

Recommended filter device for short term use: Filter P1

Protection of hands: Protective gloves.	Eye protection: Safety glasses	Protective work clothing.			
9. PHYSICAL AND CHEMICAL PROPERTIES					
Appearance:	pH-value at 20°C: 5.65 (1% solution)	Particle size 0.25-1.0 mm			
Form: Granulate	Melting point or range: Not determined	Dust content: Nearly dust free			

Colour: Beige	Flash point: Not applicable	Solubility / Miscibility (water): Dispersible
Odour: Characteristic	Danger of explosion: Product is not explosive.	Density: 0.85 g/l

10. REACTIVITY AND STABILITY

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions: Hazardous polymerisation has not reported under normal temperatures and pressures.

Conditions to avoid: No further relevant information available. **Incompatible materials:** No further relevant information available.

Hazardous decomposition products: Thermal decomposition products may include toxic and corrosive fumes of chlorides and toxic oxides of nitrogen

11. TOXICOLOGICAL INFORMATION

LD/LC50 values that are relevant for classification:

Dermal LD50: >2000 mg/kg (rat) Oral LD50: 1200 mg/kg (rat) Inhalation LC50/4 h: >3.31 mg/l (rat)

Skin Irritation: No irritant effect. Eve Irritation: No irritant effect.

Sensitization: Sensitization possible by skin contact.

12.ECOLOGICAL INFORMATION

Aquatic toxicity (formulated product):

EC 50: 4.19 mg/l (72 h - algae) LC 50: >200 mg/l(48 h - Daphnia magna)

LC 50: 120 mg/l (96h - rainbow trout (Oncorhynchus mykiss))

Note: Very Toxic for aquatic organisms

Persistence and degradability: No further relevant information available. Bioaccumulative potential: Cymoxanil has a low bioaccumulation potential

Mobility in soil: No further relevant information available.

13. DISPOSAL

Waste or used preparation: This material and its container must be disposed of in a safe way. Collect spillage.

Disposal of packaging: Dispose of contents/container to a licensed waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste

14. TRANSPORT

UN-Number (ADR. IMDG. IATA) 3077 Proper shipping name(ADR, IMDG, IATA)

3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (cymoxanil (ISO))

Hazard class (ADRIMDG, IATA):

Class 9 Miscellaneous dangerous substances and articles. Label 9+P. Packing group III

Marine pollutant: Yes

Special marking (ADR): Symbol (fish and tree)

Special precautions (user) Warning: Miscellaneous dangerous substances and articles.

Kemler Number: **EMS Number:** F-A,S-F

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable.

Transport/Additional information: Limited quantities (LQ) LQ27 (ADR)

> Transport category 3 Tunnel restriction code E

15. REGULATORY INFORMATION

Hazard-determining components of labelling: Cvmoxanil

Precautionary (P) statements:

P280 Wear gloves, protective clothing and eye/face protection Do not eat, drink or smoke when using this product. P270

P264 Wash hands thoroughly after handing

P273	Avoid release to the environment
P308+P313	If exposed or concerned. Get medical advice/attention
P391	Collect spillage
P501	Dispose of contents/container to a licensed waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste
SP1	Do not contaminate water with the product or its container.

16. OTHER INFORMATION

H Phrases referenced in section 3:

H302 Harmful if swallowed

H317 May cause an allergic skin reaction

H373 May cause damage to organs through prolonged or repeated exposure (blood, thymus)

H361fd Suspected of damaging fertility and the unborn child

H410 Very toxic to aquatic life with long lasting effects

Prepared by Sipcam UK Ltd to the best of our current knowledge and information:

No responsibility is accepted that the information will be sufficient or correct in all cases. Created 19th November 2020 issue 2 Revision Date 19th November 2022