SIPCAM OXON

Safety data sheet according to 1907/2006/EC, Article 31

rev n°: 1

Revision date: 25.11.2022

print: 25.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Varsity kind of formulation: emulsifiable concentrate (EC)

Article number: not applicable
Use herbicide
Registration number REACH Not applicable.
UFI: S2GG-QWCD-A10N-UXV8
1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant use: Agriculture.
Application of the substance / the mixture Agricultural chemicals

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SIPCAM OXON S.p.A. - Registered Office: Via Carroccio, 8 - 20123 Milano - Italy Production Site: Via Vittorio Veneto, 81 - 26857 Salerano sul Lambro (LO) - Italy TEL.: +39 0371 5961
1.4 Emergency telephone number: Emergency phone: +39 02 353781 (8.00-17.00) For any questions regarding this MSDS please contact: msds@sipcam.com Refer to section 16 for Poison Centres.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture 2.1.1 Classification according to Regulation (EC) No 1272/2008



H304 May be fatal if swallowed and enters airways.



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Asp. Tox. 1

Skin Sens. 1H317 May cause an allergic skin reaction.STOT SE 3H336 May cause drowsiness or dizziness.

el el en entre

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms



Signal word Danger

Hazard-determining components of labelling:

Hydrocarbons C10 aromatics <1% naphtalene</th>clethodimHazard statementsH317 May cause an allergic skin reaction.H336 May cause drowsiness or dizziness.H304 May be fatal if swallowed and enters airways.H411 Toxic to aquatic life with long lasting effects.Precautionary statementsP261Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)

15

Safety data sheet according to 1907/2006/EC, Article 31

rev n°: 1

Revision date: 25.11.2022

print: 25.11.2022

Trade name: Varsity

| | | | | (0 | Contd. of page 1) |
|---|-----------------------|-------------------------|--|-----------------------------|-------------------|
| P271 | Use only outdool | rs or in a well-ventila | ted area. | | |
| P280 Wear protective gloves/protective clothing/eye protection/face protection. | | | | | |
| P301+P3 | 12 IF SŴALLOWEI |): Call a POISON CE | ENTER/doctor if you feel unwell. | | |
| P302+P3 | 52 IF ON SKIN: Wo | ash with plenty of soap | p and water. | | |
| P304+P3 | 40 IF INHALED: R | emove person to fresh | air and keep comfortable for bro | eathing. | |
| P391 | Collect spillage. | | | | |
| P403+P2 | 33 Store in a well-v | entilated place. Keep | container tightly closed. | | |
| P405 | Store locked up. | | | | |
| P501 | Dispose of conte | nts/container in accor | rdance with local/regional/nation | nal/international regulatio | ns. |
| P280: | | | | | |
| | | | coverall) during mixing/loading a ring harvesting in the treated area | | lication. |
| | l information: | | 5 5 | | |
| | | water with the produc | ct or its container. | | |
| EUH401 | To avoid risks to hu | man health and the er | wironment, comply with the instr | ructions for use. | |
| 2.3 Other | hazards | | | | |
| Results of | f PBT and vPvB ass | essment | | | |
| PBT: Not | applicable | | | | |
| vPvB: No | t applicable | | | | |
| | | | | | |
| | | | | | |
| SECTIO | ON 3: Compositi | ion/information o | on ingredients | | |
| 3.2 Mixtu | | | | | |
| | | ubstances listed helow | with harmless additions: | | |
| Descriptio | on: Mixiure of the st | ibsiances listea below | with narmiess additions. | | |
| Dangerou | is components: | | | | |
| N° CAS | Des | ignation | R-Phrases | % | |
| CAS: 647 | 42-94-5 | Hydrocarbons C10 a | romatics <1% naphtalene | | 25-50% |
| EC numbe | er: 918-811-1 | | 4; 🚯 Aquatic Chronic 2, H411; < | € STOT SE 3, H336 | |
| Reg.nr.: 0 | 1-2119463583-34 | v .r. ,, | · · · · · · · · · · · · · · · · · · · | V | |
| CAS: 991 | 29-21-2 | clethodim | | | 19.77% |
| | | | | | |

Index number: 606-150-00-9 (Acute Tox. 4, H302; Skin Sens. 1, H317; Aquatic Chronic 3, H412, EUH066 Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Instantly remove any clothing soiled by the product.

Personal protection for the First Aider. After inhalation Supply fresh air and call for doctor for safety reasons. In case of unconsciousness bring patient into stable side position for transport. After skin contact Instantly wash with water and soap and rinse thoroughly. After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor. After swallowing Call a doctor immediately. Rinse out mouth without swallowing, do not induce vomiting. Information for doctor Patient needs medical supervision for 48 h. 4.2 Most important symptoms and effects, both acute and delayed Headache If ingested, the material can be aspirated into the lungs and cause chemical pneumonia Narcosis 4.3 Indication of any immediate medical attention and special treatment needed Seek the advice of a Poison Control Centre Treat symptomatically and supportively

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing agents Use fire fighting measures that suit the environment.

(Contd. on page 3)



(Contd. of pa

⁻ GB -

SIPCAM OXON

Safety data sheet according to 1907/2006/EC, Article 31

rev n°: 1

Revision date: 25.11.2022

print: 25.11.2022

Trade name: Varsity

| | (Contd. of page 2) |
|--|--------------------|
| Carbon dioxide | |
| Water haze | |
| Dry chemical | |
| Foam | |
| For safety reasons unsuitable extinguishing agents Avoid full water jet. | |
| 5.2 Special hazards arising from the substance or mixture | |
| Formation of toxic gases is possible during heating or in case of fire. | |
| Can be released in case of fire: | |
| Carbon Oxides (COx) | |
| Nitrogen oxides (NOx) | |
| Sulphur oxides (SOx) | |
| Chlorine (Cl2) | |
| 5.3 Advice for firefighters | |
| Protective equipment: | |
| Wear protective clothing conforming to European Standard EN 469. | |
| Do not inhale explosion gases or combustion gases. | |
| Wear self-contained breathing apparatus. | |
| Additional information | |
| Cool endangered containers with water spray jet. | |
| Collect contaminated fire fighting water separately. It must not enter drains. | |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation
Keep adequate ventilation
Keep away from ignition sources
Wear protective clothing.

6.2 Environmental precautions:

Do not allow to enter the ground/soil.
Inform respective authorities in case product reaches water or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to Section 13.
6.4 Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Avoid splashes or spray in enclosed areas. Wear personal protective equipments (PPE). The usual precautionary measures for handling chemicals shall be observed. **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke.

Handling Avoid direct or indirect contact with the product. Do not eat, drink or smoke while working.

7.2 Conditions for safe storage, including any incompatibilities
Storage
Store in a cool and ventilated place, away from heat source and direct sunlight without open sewage system.
Keep out the reach of children, unauthorized persons and animals. Keep away from food, drink and animal feedingstuffs.
Requirements to be met by storerooms and containers: Store only in the original container.
Information about storage in one common storage facility:
Prevent storage with uncompatible materials (see chapter 10).
Store away from foodstuffs.
Further information about storage conditions: Keep container tightly sealed.
7.3 Specific end use(s)
Agriculture
To be applied strictly for the uses described in the label.

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

rev n°: 1

Revision date: 25.11.2022

print: 25.11.2022 Trade name: Varsity

SIPCAM OXON

(Contd. of page 3)

| 8.1 Control parameters | |
|------------------------|---|
| - | SECTION 8: Exposure controls/personal protection |
| | 8.1 Control parameters Components with limit values that require monitoring at the wor |

Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs

| DNELs | | | | | |
|------------|---|--|--|--|--|
| | - | ons C10 aromatics <1% naphtalene | | | |
| Oral | DNEL Long-term | 7.5 mg/kg bw/day (consumers) | | | |
| | DUPLI | systemic effects | | | |
| Dermal | DNEL Long-term | 12.5 mg/kg bw/day (workers) systemic effects | | | |
| | | 7.5 mg/kg bw/day (consumers) | | | |
| | | systemic effects | | | |
| Inhalative | DNEL Long-term | 150 mg/m ³ (workers) | | | |
| | _ | systemic effects | | | |
| | | 32 mg/m ³ (consumers) | | | |
| <u></u> | | systemic effects | | | |
| | -76-7 2-Ethyl-1-hex | | | | |
| Oral | _ | 1.1 mg/kg bw/day (consumers) effetti sistemici | | | |
| Dermal | DNEL Long-term | 23 mg/kg bw/day (workers) effetti sistemici | | | |
| | | 11.4 mg/kg bw/day (consumers) effetti sistemici | | | |
| Inhalative | DNEL Short-term | 53.2 mg/m ³ (workers) effetti locali | | | |
| | | 26.6 mg/m ³ (consumers) effetti locali | | | |
| | DNEL Long-term | mg/m ³ (workers) 12,8 mg/m ³ - effetti sistemici 53,2 mg/m ³ - effetti locali | | | |
| | | mg/m³ (consumers) 2.3 mg/m³ - effetti sistemici 26.6 mg/m³ - effetti locali | | | |
| PNECs | | | | | |
| | -76-7 2-Ethyl-1-hex | xanol | | | |
| | 284 mg/kg (freshwat | | | | |
| |)28 mg/kg (marine v | | | | |
| | 0.047 mg/kg (soil) | | | | |
| | EC 10 mg/L (sewage treatment plant) | | | | |
| | 0.017 mg/L (fresh water) | | | | |
| 0.0 |)17 mg/L (fresh wat | er) | | | |
| |)17 mg/L (fresh wat 17 mg/L (intermitten | | | | |
| 0.1 | | nt release in water) | | | |

Appropriate engineering controlsProvide a proper ventilation, especially for indoor workplaces.Eye wash stations shall be available in the work area.Individual protection measures, such as personal protective equipmentGeneral protective and hygienic measuresThe usual precautionary measures for handling chemicals shall be observed.Keep away from foodstuffs, beverages and food.Take off immediately all contaminated clothingWash hands during breaks and at the end of the work.Avoid contact with the eyes and skin.Do not eat, drink or smoke while working.

GB

(Contd. of page 4)

Safety data sheet according to 1907/2006/EC, Article 31

rev n°: 1

Revision date: 25.11.2022

print: 25.11.2022

SIPCAM OXON

Trade name: Varsity

Breathing equipment:

Use breathing protection in case of insufficient ventilation (according to applicable European Standard). Filter A Hand protection



Protective gloves against chemicals and micro-organisms in accordance with EN 374

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Material of gloves Nitrile rubber, NBR Eye/face protection



Tightly sealed safety glasses in accordance with EN 166.

Body protection: Protective work clothing. **Boots** Safety footwear for professional use in accordance with EN 345.

SECTION 9: Physical and chemical properties

| 9.1 Information on basic physical and chemical properti | |
|--|---|
| General Information | es |
| Colour: | Yellow |
| Odour: | Characteristic |
| Melting point/freezing point: | Not determined |
| Boiling point or initial boiling point and boiling range | Not determined |
| Flammability | Not applicable. |
| Flash point: | 70 °C (EC Reg.440/2008 method A9) |
| Self-inflammability: | Product is not selfigniting. |
| Decomposition temperature: | Not determined. |
| pH at 24.6 °C | 5.40 (CIPAC MT 75.3) |
| pH value | 5.40 (CH AC MI 75.5) |
| (1% in distilled water) at 24.7 °C | 4.12 (CIPAC MT 75.3) |
| pH (undiluited sample) | |
| Viscosity: | |
| Viscosity. Kinematic viscosity at 40 °C | 3.734 mm2/s |
| dynamic at 40 °C: | 3.488 mPas |
| Solubility | 5.700 mi us |
| Water: | miscible |
| Partition coefficient n-octanol/water (log value) | Not determined. |
| Vapour pressure: | Not determined. |
| Density and/or relative density | itor acterminea. |
| Density at 20 °C | 0.934 g/mL (OECD 109 EC Method A.3) |
| Relative density at 20 °C | 0.934 |
| • | |
| 9.2 Other information | Surface tension 32.01 mN/m OECD 115 EC Reg.440/2008 |
| | Method A.5 |
| Appearance: | 1 1 1 |
| Form: | homogeneous liquid |
| Important information on protection of health and | đ |
| environment, and on safety. | |
| Ignition temperature: | Not determined |
| Explosive properties: | Product is not explosive. |
| Change in condition | |
| Softening point/range | Not an ouidigan |
| Oxidising properties | Not an oxidiser |
| Information with regard to physical hazard classes | |
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| Oxidising gases | Void |
| Gases under pressure | Void |
| | (Contd. on page 6) |

(Contd. on page 6) GB Safety data sheet according to 1907/2006/EC, Article 31

rev n°: 1

Revision date: 25.11.2022

print: 25.11.2022

SIPCAM OXON

Trade name: Varsity

| | | (Contd. of page 5 |
|--|------------|-------------------|
| Flammable liquids | Void | |
| Flammable solids | Void | |
| Self-reactive substances and mixtures | Void | |
| Pyrophoric liquids | Void | |
| Pyrophoric solids | Void | |
| Self-heating substances and mixtures | Void | |
| Substances and mixtures, which emit flammabl | e gases in | |
| contact with water | Void | |
| Oxidising liquids | Void | |
| Oxidising solids | Void | |
| Organic peroxides | Void | |
| Corrosive to metals | Void | |
| Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

10.1 Reactivity The product is not reactive under recommended handling conditions. 10.2 Chemical stability Stable under the recommended handling and storage conditions (see section 7). Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. 10.3 Possibility of hazardous reactions No dangerous reactions are known. 10.4 Conditions to avoid Avoid high temperatures. Avoid direct sunlight. 10.5 Incompatible materials: Strong acids. Strong bases. 10.6 Hazardous decomposition products: Thermal decomposition products may include: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Sulphur oxides (SOx) Chlorine

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

| LD/LC50 | values that a | re relevant for classification: |
|------------|---------------|---|
| Oral | LD50 | >5,000 mg/kg |
| Dermal | LD50 | >2,000 mg/kg |
| Inhalative | LC50 (4 h) | >5 mg/L |
| | | Dust/mists |
| CAS: 6474 | 42-94-5 Hyd | rocarbons C10 aromatics <1% naphtalene |
| Oral | LD50 | >5,000 mg/kg (rat) |
| Dermal | LD50 | >2,000 mg/kg (rabbit) |
| Inhalative | LC50 (4 h) | >4,688 mg/L (rat) |
| CAS: 9912 | 29-21-2 cleth | odim |
| Oral | LD50 | 1,133 mg/kg (rat) |
| Dermal | LD50 | >2,000 mg/kg (rat) |
| Inhalative | LC50 (4 h) | mg/L (rat) (whole body) |
| | | >3.25 mg/L - maximum attainable concentration |
| CAS: 104- | 76-7 2-Ethy | l-1-hexanol |
| Oral | LD50 | 2,049 mg/kg (rat) |
| NOEL (no | observable | effect level) |
| CAS: 6474 | 42-94-5 Hyd | rocarbons C10 aromatics <1% naphtalene |
| N | OEL | 2.5 mg/kg bw/d (algae Pseudokirchneriella subcapitata) (72 h) |
| | | (Contd. on pag |

GB -

Safety data sheet according to 1907/2006/EC, Article 31

print: 25.11.2022

rev n°: 1

Trade name: Varsity

| | | | td. of page |
|----------|---|--|-------------|
| CAS: 99 |)129-21-2 cleth | nodim | |
| Oral | NOAEL | 21 mg/kg bw/d (dog) (1 y) | |
| | | 24 mg/kg bw/d (mice) (18 m) | |
| | | 83 mg/kg bw/d (rat) (4 wk) | |
| | NOAEL (2y) | 16 mg/kg bw/d (rat) | |
| | NOAEL (90d) | 25 mg/kg bw/day (rat) | |
| Dermal | NOAEL | 83 mg/kg bw/d (rat) (4 wk) | |
| Serious | eye damage/iri | on Based on available data, the classification criteria are not met. ritation Based on available data, the classification criteria are not met. | |
| | t ory or skin sen ise an allergic i | | |
| | | y Based on available data, the classification criteria are not met. | |
| Carcino | genicity Based | on available data, the classification criteria are not met. | |
| Reprodu | ictive toxicity E | Based on available data, the classification criteria are not met. | |
| | ingle exposure | | |
| May cau | se drowsiness | or dizziness. | |
| | | ire Based on available data, the classification criteria are not met. | |
| | on hazard | | |
| | | ved and enters airways. | |
| | | r symptoms and effects see section 4. | |
| | | al information: | |
| | | xicity, irritation and corrosivity) No further information available. | |
| CMR ef | fects (cancerog | genity, mutagenicity and toxicity for reproduction) No relevant information available. | |
| 11.2 Inf | ormation on o | ther hazards | |
| Endocri | ne disrupting p | properties | |
| None of | the ingredients | r is listed. | |

SECTION 12: Ecological information

12.1 Toxicity

| Aquatic tox | |
|-------------|---|
| EC50 (48h) | |
| | mg/L (rat) |
| ErC50 (72h |) 16.07 mg/L (algae Pseudokirchneriella subcapitata) |
| ErC50 (7d) | 55.04 mg/L (Lemna minor) |
| CAS: 6474. | 2-94-5 Hydrocarbons C10 aromatics <1% naphtalene |
| EC50 (72h) | 11 mg/L (algae Pseudokirchneriella subcapitata) |
| LC50 (96h) | ≥2-≤5 mg/L (rainbow trout (oncorhynchus mykiss)) |
| EC50 (48h) | $\geq 3 \leq 10 \text{ mg/L}$ (Daphnia magna) |
| CAS: 9912 | 9-21-2 clethodim |
| EC50 (72h) | >12 mg/L (algae selenastrum capricornutum) |
| LC50 (96h) | 25 mg/L (Salmo gairdneri) |
| EC50 (48h) | >100 mg/L (Daphnia magna) |
| ErC50 (14a | 1) 1.9 mg/L (lemna gibba) (NOEC) |
| NOEC | 3.9 mg/L (rainbow trout (oncorhynchus mykiss)) |
| Environme | ntal toxicity |
| Oral EC | 50 923.87 mg/kg (earthworms, Eisenia foetida) |
| LL | $0.50 > 100 \ \mu g/bee \ (bee \ (Apis mellifera))$ |
| Dermal LL | $0.50 > 100 \ \mu g/bee \ (bee \ (Apis mellifera))$ |
| CAS: 9912 | 9-21-2 clethodim |
| Oral LL | 50 >1,640 mg/kg bw (bobwhite quail) |
| EC | 50 >1,000 mg/kg (earthworms, Eisenia foetida) (Clethodim suphoxide) |
| | (Contd. on pa |



Safety data sheet according to 1907/2006/EC, Article 31

Revision date: 25.11.2022

print: 25.11.2022

Trade name: Varsity

| 1220 | ansistan as and dasana dabilita | (0 | Contd. of pag |
|------------------|----------------------------------|---|---------------|
| | ersistence and degradability | 10 aromatics <1% naphtalene | |
| | radation 50 % (28 d) | | |
| Dioueg | Water | | |
| CAS: 1 | 104-76-7 2-Ethyl-1-hexanol | | |
| | radation $>95\%$ (5 d - OECI | D 302B) | |
| 12.3 B | ioaccumulative potential | | |
| | ol / Water partition coefficient | t 4.14 (pH 7) | |
| | Bioconcentration factor | 2.1 | |
| CAS: 1 | 104-76-7 2-Ethyl-1-hexanol | | |
| Octano | ol / Water partition coefficient | t 3.1 (valore misurato) | |
| BCF - 1 | Bioconcentration factor | 100-3,000 | |
| 12.4 M | lobility in soil | | |
| Koc 4 | ml/g (soil) | | |
| 12.5 R | esults of PBT and vPvB asse | ssment | |
| | | the classification requirements. | |
| | | s the classification requirements. | |
| 12.6 Ei | ndocrine disrupting properti | es For information on endocrine disrupting properties see section 11. | |
| 12.7 Ot Remar | | er relevant information available. | |
| | | | |
| | (active ingredient) | | |
| | 3.04 days (soil) | | |
| | Not persistent | | |
| | 300-499 days (water) (pH 7) | | |

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Disposal according to national regulations.

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings: Dispose empty packagings according to current regulations.

| 14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA | UN3082 |
|--|--|
| 14.2 UN proper shipping name ADR/RID/ADN | 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIL |
| IMDG | N.O.S. (Hydrocarbons C10 aromatics <1% naphtalene) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hydrocarbons C10 aromatics <1% naphtalene), MARIN |
| IATA | POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hydrocarbons C10 aromatics <1% naphtalene) |



rev n°: 1

SIPCAM OXON supporting agriculture

Safety data sheet according to 1907/2006/EC, Article 31 rev n°: 1

Revision date: 25.11.2022

| print: | 25.11.2022 | |
|--------|------------|--|
| | | |

Trade name: Varsity

| | (Contd. of page |
|---|--|
| 14.3 Transport hazard class(es) | |
| ADR/RID/ADN | |
| | |
| | |
| 9 | |
| Class | 9 (M6) Miscellaneous dangerous substances and articles. |
| Label | 9 |
| IMDG, IATA | |
| | |
| | |
| | |
| \mathbb{V} \vee | |
| Class Label | <i>9 Miscellaneous dangerous substances and articles. 9</i> |
| Label | <i>y</i> |
| 14.4 Packing group ADR/RID/ADN, IMDG, IATA | 111 |
| | |
| 14.5 Environmental hazards: | Product contains environmentally hazardous substances Hydrocarbons C10 aromatics <1% naphtalene |
| Marine pollutant: | Symbol (fish and tree) |
| Special marking (ADR/RID/ADN): | Symbol (fish and tree) |
| Special marking (IATA): | Symbol (fish and tree) |
| 14.6 Special precautions for user | Warning: Miscellaneous dangerous substances and articles. |
| Kemler Number: | 90 E 4 S E |
| EMS Number: Stowage Category | F-A,S-F A |
| | |
| 14.7 Maritime transport in bulk according a instruments | Not applicable. |
| Transport/Additional information: | |
| ADR/RID/ADN | |
| Limited quantities (LQ) | 5L |
| Excepted quantities (EQ) | Code: E1 |
| | Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
| Transport category | 3 |
| Remarks: | Transport in Limited Quantities only in suitable packaging. |
| | ADR Special Provision 375 may apply for UN 3077 in packagings of |
| | 5 kg or less and for UN3082 in packagings of 5 L or less. |
| IMDG Limited augustities (LO) | 51 |
| Limited quantities (LQ) Excepted quantities (EQ) | 5L Code: E1 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 1000 ml |
| Remarks: | IMDG Code 2.10.2.7 may apply for UN 3077 in packagings of 5 kg |
| | or less and for UN3082 in packagings of 5 L or less. |
| IATA Remarks: | For UN 3077 in probability of 5 to on loss and $UN2002$: |
| nemurks. | For UN 3077 in packagings of 5 kg or less and UN3082 in packagings of 5 L or less, Special Provision A197 may appl |
| | according to IATA Dangerous Goods Regulation. |
| UN "Model Regulation": | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE |
| | LIQUID, N.O.S. (HYDROCARBONS C10 AROMATICS <19 |
| | NAPHTALENE), 9, III |

(Contd. on page 10)

(Contd. of page 9)

Safety data sheet according to 1907/2006/EC, Article 31

rev n°:

Revision date: 25.11.2022

Trade name: Varsity

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) no. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EÚ) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/521 (ATP 12 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 1107/2009 Regulation (EU) n. 2021/643 (ATP 16 CLP) Regulation (EU) n. 2021/849 (ATP 17 CLP) Regulation (EU) n. 2022/692 (ATP 18 CLP) Directive 2012/18/EU Named dangerous substances - ANNEX I Not applicable Seveso category E2 Hazardous to the Aquatic Environment Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

In case of emergency, contact your local Poison Centre through Global Health Observatory data on

http://www.who.int/gho/phe/chemical safety/poisons centres/en/

A list of European Poison Centres is available on http://ec.europa.eu/growth/sectors/chemicals/poison-centres/ index en.htm

Classification according to Regulation (EC) No 1272/2008 Classification according to calculation method Contact:

Product safety department

SIPCAM OXON

H statements of components:

H302 Harmful if swallowed.

May be fatal if swallowed and enters airways. H304

May cause an allergic skin reaction. H317

H336 May cause drowsiness or dizziness.

Toxic to aquatic life with long lasting effects. H411

Harmful to aquatic life with long lasting effects. H412

EUH066 Repeated exposure may cause skin dryness or cracking.

Abbreviations and acronyms: EC 50: Effective concentration, 50 percent

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

GB



print: 25.11.2022

SIPCAM OXON supporting agriculture

Safety data sheet according to 1907/2006/EC, Article 31

rev n°: 1

print: 25.11.2022

Revision date: 25.11.2022

Trade name: Varsity

vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 **Sources** Document elaborated on the basis of the data required by the EC Regulation 1107/2009 (plant protection products) and in accordance with the EC Regulation 878/2020.

(Contd. of page 10)

GB